## Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the aboveidentified application.

## Listing of Claims:

- 1. (Currently Amended) A system for recording for reuse, at least one test event and at least one associated response, said system comprising:
  - an application program for testing at least one function of a component to be tested;
  - a communication protocol for sending by said application program, said at least one test event to said component and receiving from said component, said at least one associated response;
  - storage for storing by a tracer, said at least one test event and said at least one associated response, in a trace file;
  - an analyser for analysing said trace file, said analysing comprising identifying a minimum set of test events in said trace file; and
  - an extractor for extracting at least one the minimum set of test events from said trace file, wherein said at least one minimum set generates said at least one associated response; and said storage being further adapted to store said at least one minimum set and said at least one associated response.
- 2. (Original) A system as claimed in claim 1, in which said analyser comprises means for determining whether said trace file is empty.

- (Original) A system as claimed in claim 1, in which said analyser comprises means for parsing said at least one test event.
- 4. (Original) A system as claimed in claim 1, in which said analyser comprises means for creating at least one reusable program comprising said at least one minimum set and said at least one associated response.
- (Original) A system as claimed in claim 4, in which said analyser comprises means for adding said at least one reusable program to said storage.
- (Original) A system as claimed in claim 1, in which two or more reusable programs share said at least one test event.
- 7. (Original) A system as claimed in claim 6, in which if said shared at least one test event generates two or more associated responses, said system further comprises means for invoking a rule for logging one of said two or more reusable programs.
- Original) A system as claimed in claim 1, in which said component to be tested is at least one of a hardware component or a software component.
- 9. (Currently Amended) A method for recording for reuse, at least one test event and at least one associated response, for use in a system comprising, an application program for testing at least one function of a component to be tested, said method comprising the steps of:

- sending by said application program, said at least one test event to said component and receiving from said component, said at least one associated response;
- storing said at least one test event and said at least one associated response in a trace file;
- analysing said trace file, said analysing comprising identifying a minimum set of test events in said trace file;
- extracting at least one the minimum set of test events from said trace file, wherein said at least one minimum set generates said at least one associated response; and

storing said at least one minimum set and said at least one associated response.

- 10. (Original) A method as claimed in claim 9, in which said analysing step further comprises a step of determining whether said trace file is empty.
- 11. (Currently amended) A method as claimed in claim 9, in which said analying analysing step further comprises a step of parsing said at least one test event.
- 12. (Original) A method as claimed in claim 9, in which said analysing step further comprises a step of creating at least one reusable program comprising said at least one minimum set and said at least one associated response.

- 13. (Original) A method as claimed in claim 12, in which said analysing step further comprises a step of adding said at least one reusable program to said storage.
- 14. (Original) A method as claimed in claim 9, in which two or more reusable programs share said at least one test event.
- 15. (Original) A method as claimed in claim 14, in which if said shared at least one test event generates two or more associated responses, said method further comprises a step of invoking a rule for logging one of said two or more reusable programs.
- 16. (Original) A method as claimed in claim 9, in which said component to be tested is at least one of a hardware component or a software component.

## 17. (Canceled)

18. (Currently Amended) A computer programming product for recording for reuse, at least one test event and at least one associated response, for use in a system, <u>said computer programming product</u> comprising:

a computer storage;

an application program, stored on the computer storage, for testing at least one function of a component to be tested;

- logic, stored on the computer storage, for sending by said application program, said at least one test event to said component and receiving from said component, said at least one associated response;
- logic, stored on the computer storage, for storing said at least one test event and said at least one associated response in a trace file;
- logic, stored on the computer storage, for analysing said trace file, said analysing logic comprising logic for identifying a minimum set of test events in said trace file:
- logic, stored on the computer storage, for extracting at least-one the minimum set of test events from said trace file, wherein said at least one minimum set generates said at least one associated response; and
- logic, stored on the computer storage, for storing said at least one minimum set and said at least one associated response.
- 19. (Previously presented) The computer programming product of claim 18, further comprising logic, stored on the computer storage, for determining whether said trace file is empty.
- 20. (Currently amended) The computer programming product of claim 18, said analying analysing logic comprising a step of parsing said at least one test event.

21. (Previously presented) The computer programming product of claim 18, said analysing logic comprising logic for creating at least one reusable program comprising said at least one minimum set and said at least one associated response.